



March 03 , 2026

Audience: CLEC,ISP,IXC,Resellers,Wireless,ILEC

Subject : Verizon Partner Solutions Industry Letter: Bala Cynwyd PA 5ESS Switch Retirement

PLEASE NOTE:

- All references to the Bala Cynwyd PA 5ESS switch are associated with CLLI code BCYNPABCDS0 and will not be repeated throughout this letter.
- All references to the Fort Washington PA CS2K switch are associated with CLLI code FTWSPAFWPS1 and will not be repeated throughout this letter.

As set out in the Verizon Pennsylvania LLC Short Term Public Notice Under Rule 51.333(a), dated March 3, 2026, on or after April 20, 2026, the Bala Cynwyd PA 5ESS switch will be retired and removed from the Verizon network as part of ongoing efforts to modernize the network.

General Information: The Exchange Codes (NXXs) in Numbering Plan Area (NPA) 610 currently residing in the Bala Cynwyd PA 5ESS switch (see list in Table B below) will be moved to the Fort Washington PA CS2K switch (see details in Table A below).

The ten (10) native NPA NXXs belonging to the Bala Cynwyd PA 5ESS switch will be rehomed upon decommissioning of the switch and reflected in the Local Exchange Routing Guide (LERG) for the Fort Washington PA CS2K switch. This will occur on or after April 20, 2026.

Table A

	From	To	
Entity	Bala Cynwyd BCDS0	Fort Washington FWPS1	
Clli	BCYNPABCDS0	FTWSPAFWPS1	
Product	5ESS	CS2K	
Location	321 Levering Mill Road Bala Cynwyd, PA 19004	1050 Virginia Drive Washington, PA 19034	Fort
	Point Code	246 013 091	246 013 153
	NXX Type	EOC	EOC
	OCN	9208	9208
	Rate Center Lata	228	228
	Rate Center	Bala Cynwyd	Fort Washington
	State	PA	PA

Table B

NPA	NXX	TYPE	RATECENTER
610	206	EOC	BALA-CYNWYD
610	617	EOC	BALA-CYNWYD
610	632	EOC	BALA-CYNWYD
610	660	EOC	BALA-CYNWYD
610	664	EOC	BALA-CYNWYD
610	667	EOC	BALA-CYNWYD
610	668	EOC	BALA-CYNWYD
610	747	EOC	BALA-CYNWYD
610	771	EOC	BALA-CYNWYD
610	949	EOC	BALA-CYNWYD

Network Changes and Trunk Rearrangements:

The Fort Washington PA CS2K switch will be the recipient office of traffic migrated from the Bala Cynwyd PA 5ESS switch. Traffic bound for the codes listed in Table B will be delivered via the Market 92T Tandem (PHLAPAMK92T).

After all traffic is migrated off the Bala Cynwyd PA 5ESS switch, this switch will be retired and removed from the network.

CLECs, IXCs, IECs, wireless carriers, and paging carriers will need to secure new trunk groups built to the Fort Washington PA CS2K switch or have existing trunk groups to that switch augmented. Carriers that have direct end office trunk (DEOT) with access connectivity in the Bala Cynwyd PA 5ESS switch will be required to reposition the codes to the Fort Washington PA CS2K switch.

All ASRs for the Fort Washington PA CS2K switch must be received no later than March 28, 2026, to provide sufficient time to migrate the traffic described above. All traffic must be moved by April 20, 2026.

Please adhere to industry standards using normal procedures that pertain to updates and changes to the LERG for all NXXs subject to the retirement of the Bala Cynwyd PA 5ESS switch.

For inquiries related to the proposed network reconfiguration, or to arrange a meeting with Verizon Network Engineering and Planning personnel, please contact your Verizon Account Manager.

We look forward to working with your team to enable uninterrupted service during the network redesign and transitioning of your traffic.

This communication is provided by the VPS Account Management Support. Requests to subscribe or unsubscribe to this distribution may be processed at:
<https://www22.verizon.com/wholesale/subscriptions/e-mail-subscriptions.html>