



March 03 , 2026

Audience: CLEC,ISP,IXC,Resellers,Wireless,ILEC

Subject : Verizon Partner Solutions Industry Letter: Chillum MD 5ESS Switch Retirement

PLEASE NOTE:

- All references to the Chillum MD 5ESS switch are associated with CLLI code HYVLMDCMDS0 and will not be repeated throughout this letter.
- All references to the Hyattsville MD CS2K switch are associated with CLLI code HYVLMDHYP50 and will not be repeated throughout this letter.

As set out in the Verizon Maryland LLC Short Term Public Notice Under Rule 51.333(a), dated March 3, 2026, on or after April 30, 2026, the Chillum MD 5ESS switch will be retired and removed from the Verizon network.

General Information: The Chillum MD 5ESS switch will be replaced by the Hyattsville MD CS2K switch. See details in Table A.

Table A

Description	From	To
Office Name	Chillum	Hyattsville
CLLI Code	HYVLMDCMDS0	HYVLMDHYP50
Switch Type	5ESS	CS2K
Location	6510 Riggs Road Hyattsville, MD 20783	5500 Baltimore Avenue Hyattsville, MD 20781
Point Code	246 193 110	246 193 152
NXX Type	EOC	EOC
OCN	9212	9212
Rate Center LATA	236	236
Rate Center	Chillum	Hyattsville
State	MD	MD

The Exchange Codes (NXXs) in Numbering Plan Area (NPA) 301 currently residing in the Chillum MD 5ESS switch will be rehomed upon decommissioning of the switch and reflected in the Local Exchange Routing Guide (LERG) on or after April 30, 2026. See details in Table B.

Table B

NPA	NXX	TYPE	RATECENTER
301	270	EOC	CHILLUM
301	559	EOC	CHILLUM
301	853	EOC	CHILLUM
301	891	EOC	CHILLUM

Network Changes and Trunk Rearrangements:

The Hyattsville MD CS2K switch will be the recipient office of traffic migrated from the Chillum MD 5ESS switch. Traffic to be migrated to the Hyattsville MD CS2K switch includes all of the traffic currently handled by the Chillum MD 5ESS switch including, but not limited to, Inter-LATA access traffic (including Feature Group B and D traffic); and Intra-LATA and local traffic (including CLEC, IEC, wireless and Verizon sector end office switched traffic). After all traffic is migrated off of the Chillum MD 5ESS, this switch will be retired and removed from the network.

CLECs, IXCs, IECs, ILEC, wireless carriers and paging carriers will need to provision new trunk groups built to the Hyattsville MD CS2K switch or have existing trunk groups to that switch augmented if necessary. Carriers that have direct end office

trunks (DEOT) with access connectivity in the Chillum MD 5ESS switch will be required to reposition the codes to the Hyattsville MD CS2K switch.

All ASRs for the Hyattsville MD CS2K switch must be received no later than **April 11, 2026**, to provide sufficient time to migrate the traffic described above. All traffic must be moved on or after **April 30, 2026**, based on LERG change notification.

Upon decommissioning of the Chillum MD 5ESS switch, the four (4) native codes (NPA NXXs) that currently reside in the Chillum MD 5ESS switch will reflect the Hyattsville MD CS2K switch in the LERG.

Submission of disconnect ASRs to Verizon for the Chillum MD 5ESS switch are required immediately after the re-homing of traffic is complete.

Please adhere to industry standards using normal procedures that pertain to updates and changes to the LERG for all NXXs subject to the retirement of the Chillum MD 5ESS switch.

For inquiries related to the proposed network reconfiguration, or to arrange a meeting with Verizon Network Engineering and Planning personnel, please contact your Verizon Account Manager.

We look forward to working with your team to enable uninterrupted service during the network redesign and transitioning of your traffic.

This communication is provided by the VPS Account Management Support. Requests to subscribe or unsubscribe to this distribution may be processed at:
<https://www22.verizon.com/wholesale/subscriptions/e-mail-subscriptions.html>