



June 03 , 2026

Audience: CLEC,ISP,IXC,Resellers,Wireless,ILEC

Subject : Verizon Partner Solutions Industry Letter: Ashton RI DMS100 Switch Retirement

PLEASE NOTE:

All references to the Ashton RI DMS100 switch are associated with the CLLI code ASTNRIANDS1 and will not be repeated throughout this letter. All references to the Providence RI C20 switch are associated with CLLI code PRVDRIWAPS1 and will not be repeated throughout this letter.

As set out in the Verizon New England Inc. Short Term Public Notice Under Rule 51.333(a), dated June 3, 2026, on or after July 29, 2026, the Ashton RI DMS100 switch will be retired and removed from the Verizon network as part of ongoing efforts to modernize the network.

General Information: The Exchange Codes (NXXs) in Numbering Plan Area (NPA) 401 currently residing in the Ashton RI DMS100 switch (see list in Table B below) will be moved to the Providence RI C20 switch (see details in Table A below). The native NPA NXXs belonging to the Ashton RI DMS100 switch will be rehomed upon decommissioning of the switch and reflected in the Local Exchange Routing Guide (LERG) for the Providence RI C20 switch. This will occur on or after **July 29, 2026.**

Table A

	From	To
Entity	Ashton, RI EO	Providence, RI PEO
ClIi	ASTNRIANDS1	PRVDRIWAPS1
Product	DMS100	C20
Location	25 Angell Road Ashton, RI 02865	234 Washington Street Providence, RI 02903
Point Code	247 069 025	247 069 008
NXX Type	EOC	EOC
OCN	9102	9102
Rate Center Lata	130	130
Rate Center	Pawtucket	Multi
State	RI	RI

Table B

NPA	NXX	TYPE	Switch
401	333	EOC	ASTNRIANDS1
401	334	EOC	ASTNRIANDS1
401	335	EOC	ASTNRIANDS1

Network Changes and Trunk Rearrangements:

The Providence RI C20 switch will be the recipient office of traffic migrated from the Ashton RI DMS100 switch. Traffic bound for the codes listed in Table B will be delivered via the Providence, RI Tandem (PRVDRIWA06T intra-lata SHA / PRVDRIWA06T inter-lata FG Access SHA).

After all traffic is migrated off of the Ashton RI DMS100 switch, it will be retired and removed from the network.

CLECs, IXCs, IECs, wireless carriers and paging carriers will need to secure new trunk groups built to the Providence RI C20 switch or have existing trunk groups to that switch augmented. Carriers that have direct end office trunks (DEOT) with access connectivity in the Ashton RI DMS100 switch will be required to reposition the codes to the Providence RI C20 switch.

All ASRs for the Providence RI C20 switch must be received no later than July 1, 2026, to provide sufficient time to migrate the traffic described above. All traffic must be moved by July 29, 2026. Please adhere to industry standards using normal procedures that pertain to updates and changes to the LERG for all NXXs subject to the retirement of the Ashton RI DMS100 switch.

For inquiries related to the proposed network reconfiguration, or to arrange a meeting with Verizon Network Engineering and Planning personnel, please contact your Verizon Account Manager.

We look forward to working with your team to enable uninterrupted service during the network redesign and transitioning of your traffic.

This communication is provided by the VPS Account Management Support. Requests to subscribe or unsubscribe to this distribution may be processed at:
<https://www22.verizon.com/wholesale/subscriptions/e-mail-subscriptions.html>