



July 16 , 2026

Audience: CLEC,ISP,IXC,Resellers,Wireless,ILEC

Subject : Verizon Partner Solutions Industry Letter: Waltham Spring Street MA DMS100 Switch Retirement

PLEASE NOTE:

All references to the Waltham Spring Street MA DMS100 switch are associated with CLLI code **WLHMMASPDS1** and will not be repeated throughout this letter. All references to the Newton MA C20 switch are associated with CLLI code **NWTNMAWAPS1** and will not be repeated throughout this letter.

As set out in the Verizon New England Inc. Short Term Public Notice Under Rule 51.333(a), dated July 16, 2026, the Waltham Spring Street MA DMS100 switch will be retired and removed from the Verizon network on or after August 28, 2026, as part of ongoing efforts to modernize the network.

General Information: The Exchange Codes (NXXs) in Numbering Plan Area (NPA) 781 currently residing in the Waltham Spring Street MA DMS100 switch (see list in Table B below) will be moved to the Newton MA C20 switch (see details in Table A below).

The native NPA NXXs belonging to the Waltham Spring Street MA DMS100 switch will be rehomed upon decommissioning of the switch and reflected in the Local Exchange Routing Guide (LERG) for the Newton MA C20 switch. This will occur on or after August 28, 2026.

Table A

	From	To
Entity	Waltham Spring Street MA EO	Newton MA PEO
CLLI	WLHMMASPDS1	NWTNMAWAPS1
Product	DMS100	C20
Location	36 Spring Street Waltham, MA 02451	787 Washington Street Newton, MA 02460
Point Code	247 065 064	247 065 015
NXX Type	EOC	EOC
OCN	9102	9102
Rate Center LATA	128	128
Rate Center	Waltham	Multi

State MA MA

Table B

NPA	NXX	TYPE	Switch
781	256	EOC	WLHMMASPDS1
781	314	EOC	WLHMMASPDS1
781	392	EOC	WLHMMASPDS1
781	398	EOC	WLHMMASPDS1
781	409	EOC	WLHMMASPDS1
781	529	EOC	WLHMMASPDS1
781	642	EOC	WLHMMASPDS1
781	647	EOC	WLHMMASPDS1
781	736	EOC	WLHMMASPDS1
781	788	EOC	WLHMMASPDS1
781	891	EOC	WLHMMASPDS1
781	893	EOC	WLHMMASPDS1
781	894	EOC	WLHMMASPDS1
781	899	EOC	WLHMMASPDS1

Network Changes and Trunk Rearrangements:

The Newton, MA C20 switch will be the recipient office of traffic migrated from the Waltham Spring Street, MA DMS100 switch. Traffic bound for the codes listed in Table B will be delivered via the Newton, MA Tandem (NWTNMAWA01T intra-

Lata SHA / NWTNMAWA01T inter-Lata FG Access SHA).

After all traffic is migrated off of the Waltham Spring Street, MA DMS100 switch, it will be retired and removed from the network.

CLECs, IXC, IECs, wireless carriers, and paging carriers will need to secure new trunk groups built to the Newton, MA C20 switch or have existing trunk groups to that switch augmented. Carriers that have direct end office trunks (DEOT) with access connectivity in the Waltham Spring Street, MA DMS100 switch will be required to reposition the codes to the Newton, MA C20 switch.

All ASRs for the Newton, MA C20 switch must be received no later than August 1, 2026 in order to provide sufficient time to migrate the traffic described above. All traffic must be moved by August 28, 2026.

Please adhere to industry standards using normal procedures that pertain to updates and changes to the LERG for all NXX codes subject to the retirement of the Shrewsbury, MA DMS100 switch.

For inquiries related to the proposed network reconfiguration, or to arrange a meeting with Verizon Network Engineering and Planning personnel, please contact your Verizon Account Manager.

We look forward to working with your team to enable uninterrupted service during the network redesign and transitioning of your traffic.

This communication is provided by the VPS Account Management Support. Requests to subscribe or unsubscribe to this distribution may be processed at:

<https://www22.verizon.com/wholesale/subscriptions/e-mail-subscriptions.html>