



SHORT TERM PUBLIC NOTICE UNDER RULE 51.333(a)

June 3, 2026

Carrier: Verizon Maryland LLC, 12 West Street, Annapolis, MD 21401

Contact: For additional information on these planned network changes, please contact:

Lisa M Thompson

Global Engineering and System Performance

Verizon Wireline Network Operations

13100 Columbia Pike

Silver Spring, MD 20904

(410) 375-9777

Michael Childs

Associate Director

Verizon Network Engineering

5055 North Point Pkwy.

Alpharetta, GA 30022

(469) 497-4466

Implementation Date: On or after **July 29, 2026**

Planned Network Change(s) Will Occur at the Following Maryland Location(s):

Verizon Central Office	Address	CLLI
Dundalk MD 5ESS Switch	6736 Holabird Avenue Dundalk, MD 21222	DNDLMDDNDS0
Annapolis MD C20 Switch	9 Northwest Street Annapolis, MD 21401	ANNPMDANPS1

This notice may also be viewed at:

<http://www.verizon.com/about/terms-conditions/network-disclosures>

PLEASE NOTE:

All references to the Dundalk MD 5ESS switch are associated with CLLI code DNDLMDDNDS0 and will not be repeated throughout the notice.

All references to the Annapolis MD C20 switch are associated with CLLI code ANNPMDANPS1 and will not be repeated throughout the notice.

Description of the Planned Network Change(s):

The Verizon Dundalk MD 5ESS switch, located at 6736 Holabird Avenue, Dundalk, MD 21222, will be retired and removed from the Verizon network after all traffic served by this switch is migrated to the Verizon Annapolis MD C20 switch, located at 9 Northwest Street, Annapolis, MD 21401. All traffic to be migrated to the Annapolis MD C20 switch includes, but is not limited to Inter-LATA (ACCESS/FG-B-D/CLEC IXC), wireless and paging traffic.

Description of Reasonably Foreseeable Impact(s) of the Planned Change(s):

All carriers including competitive local exchange carriers (CLECs), Interexchange carriers (IXCs, IECs), wireless carriers, and paging carriers will need to provision new trunk groups to support direct end office trunking to the Annapolis MD C20 switch or have existing trunk groups to that switch augmented.

All ASRs for the Annapolis MD C20 switch must be received no later than **July 8, 2026**, to provide sufficient time to migrate the traffic described above. Local Exchange Routing Guide (LERG) change effective dates will be posted prior to decommissioning of the Dundalk MD 5ESS switch (**on or after July 29, 2026**). This will serve to guide interconnect re-routes of traffic for the NPA codes currently served by the Dundalk MD 5ESS switch to reflect the Annapolis MD C20 switch as the new home switch. All trunks to the Annapolis MD C20 switch must be in place prior to the decommissioning of the Dundalk MD 5ESS switch.